RESOURCE BIBLIOGRAPHY (2005)

- 1. American Association of Community Psychiatrists, Level of Care Utilization System (LOCUS 2.001), Dallas, AACP 2000.
- 2. American Association of Community Psychiatrists, Principles for the care and treatment of individuals with co-occurring psychiatric and substance disorders. Dallas, AACP 2000. (AACP web site: www.comm.psych.pitt.edu)
- 3. American Society of Addiction Medicine. Patient Placement Criteria 2R. Washington, DC, ASAM. 2001.
- 4. Adelman S, Fletcher K, & Bahnassi A. Pharmacotherapeutic management strategies for mentally ill substance abusers. J. Subst. Abuse. Treatment. (1993) 10: 353-8.
- 5. Albanese M, Khantzian E, et. al.. Decreased substance use in chronically psychotic patients treated with clozapine. Am. J. Psych. (1994) 151:780-1.
- 6. Alexander MJ. Women with co-occurring disorders: an emerging profile of vulnerability. Am. J. Orthopsychiatry. (1996) 66:61-70.
- 7. Alexander MJ & Haugland G. Integrating services for co-occurring disorders: final report for NY State Conference of Local Mental Hygiene Directors. Nathan Kline Institute, Orangeburg, NY. March, 2000. See Appendix A: Assessment Tools.
- 8. Arbour Health System. Required basic competencies in addiction/dual diagnosis for adult/child clinicians, and self-learning workbook and examination. Arbour Health System. Jamaica Plain, MA 2000
- 9. Barreira, P, Espey, E, et. al.. Linking substance abuse and serious mental illness service delivery systems: initiating a statewide collaborative. Journal of Beh Health Serv Res, 2000. 27: 107-13.
- 10. Bastiaens, L, Francis G, & Lewis, K. The RAFFT as a screening tool for adolescent substance use disorders. Am. J. Addictions. (2000) 9:10-16.
- 11. Baker, J & Rohacek, J. Integrated Dual Recovery Program. McPike Addiction Treatment Center & Mohawk Valley Psychiatric Center. Utica, NY 2000.
- 12. Bellack AS, et. al.. Behavioral treatment for substance abuse in schizophrenia (BTSAS). Abellack@umaryland.edu.
- 13. Bellack AS & DiClemente CC. Treating substance abuse among patients with schizophrenia. Psych Services (1999) 50:75-80.
- 14. Biederman, J, Wilens, T, et. al.. Pharmacotherapy of ADHD reduces risk for substance use disorder. Pediatrics (1999).104(2).
- 15. Brady, KT. Co-morbidity of substance use and axis I psychiatric disorders. Medscape Mental Health 3(4) 1998. www.medscape.com.
- 16. Brady KT & Roberts J. The pharmacotherapy of dual diagnosis. Psych Annals (1995) 25:344-52.
- 17. Bricker, M. STEMSS. Milwaukee, 1988.
- 18. Brunette, M, & Drake, RE. Gender differences in homeless persons with schizophrenia and substance abuse. Comm MH Journal (1998).34:627-33.
- 19. Burton Donna, Cox Arthur, Fleisher-Bond Margo, Cross Training for Dual Disorders; A Comprehensive Guide to Co-occuring Substance Use and Psychiatric Disorders. New York, NY. Vantage Press. 2001.

- 20. Carey KB. Substance use reduction in the context of outpatient psychiatric treatment: a collaborative, motivational, harm reduction approach. Comm MHJ (1996) 32:291-306.
- 21. Carey KB, Bradizza CM, et. al.. The case for enhanced addictions training in graduate programs. Behavior Therapist (1999) 22:27-31.
- 22. Center For Substance Abuse Treatment. Enhancing Motivation for Change in Substance Abuse Treatment. Treatment Improvement Protocol #35. CSAT, Washington, 1999.
- 23. Center for Substance Abuse Treatment. Substance Abuse Treatment for Individuals with Co-occurring Disorders. Treatment Improvement Protocol #42, CSAT, Washington, 2005.
- 24. Center for Substance Abuse Treatment. Treatment of Persons with co-occurring disorders: program examples. SSDP V Co-occurring Institute. Orlando, 2000. (Contact Carol Coley: ccoley@samhsa.org)
- 25. Ciraulo, DA & Nace, EP. Benzodiazepine treatment of anxiety or insomnia in substance abuse patients. Am. J. Addictions (2000) 9:276-84.
- 26. Cline, C and Minkoff K, Substance Abuse and Mental Health Services Administration. A Strength Based Systems Approach to Creating Integrated Services for Individuals with Co-occurring Psychiatric and Substance Abuse Disorders-A Technical Assistance Document. NMDOH/BHSD Dec. 2002.
- 27. Comtois KA, Ries R, & Armstrong HE. Case manager ratings of the clinical status of dually diagnosed outpatients. Hospital and Comm. Psych. (1994) 45:568-73.
- 28. Daley Dennis, Moss Howard, Dual Disorders: Counseling Clients with Chemical Dependency and Mental Illness, 3rd ed. Center City, MN. Hazelden. 2002.
- 29. Daley Dennis, Coping with Dual Disorders: Addiction and Psychiatric Illness, Center City, MN. Hazelden. 2003.
- 30. Drake, RE, Bartels, SJ, et. al.. Treatment of substance abuse in severely mentally ill patients. J. Nervous Mental Disease (1993) 181:606-11.
- 31. Drake RE, Burnette, Mary, eds. Integrated Dual Disorders Treatment Workbook. SAMSHA. 2001.
- 32. Drake, RE, Essock, SM, et. al.. Implementing Dual Diagnosis services for clients with severe mental illness. Psych Services (2001) 52(4):469-476.
- 33. Drake, RE, Mercer-McFAdden, C, et. al. (eds.) Readings in Dual Diagnosis. International Association of Psychosocial Rehabilitation Services. Columbia, MD. 1998.
- 34. Ekleberry, SC. Personality Disorders and Addiction. sekleberry@hotmail.com. Materials available on Dual Diagnosis Website: www.toad.net/~arcturus/dd/ddhome.htm.
- 35. Evans K & Sullivan JM. Treating Addicted Survivors of Trauma. Guilford, New York. 1995.
- 36. Evans K & Sullivan JM. Dual diagnosis: Counseling the Mentally Ill Substance Abuser. 2nd Edition. Guilford, New York. 2001.
- 37. Federation of Families for Children's Mental Health. Blamed and ashamed: the treatment experiences of youth with co-occurring disorders and their families. October, 2000.

- 38. Foundation Associates, Making Medication Part of Your Life. Nashville, TN. Foundation Associates. 2003.
- 39. Geppert Cynthia, Minkoff K, Psychiatric Disorders and Medications, Center City, MN. Hazelden. 2003.
- 40. Geppert Cynthia, Minkoff K, Psychiatric Medications and Recovery from Co-Occuring Disorders, Center City, MN. Hazelden. 2003.
- 41. Godley SH, Finch M, et. al.. Case management for dually diagnosed individuals involved in the criminal justice system. J. Sub Ab. Treatment.(2000) 18:137-48.
- 42. Goldfinger, SM, Shute, RK, et. al.. Housing placement and subsequent days homeless among formerly homeless adults with mental illness. Psych Services (1999) 50:674-9.
- 43. Hamilton, T. & Samples, P. The 12 Steps and Dual Disorders. Hazelden, Center City, MN. 1995.
- 44. Harris M. Trauma Recovery and Empowerment Manual. Free Press. New York. 1998.
- 45. Hendrickson, EL, Schmal MS, & Ekleberry SC. Treating Co-Occurring Disorders: A Handbook for Mental Health and Substance Abuse Professionals 2005.
- 46. Illinois Alcohol and Other Drug Abuse Professional Certification Association. The Illinois standard for board registered MI/SA I/II. IAODAPCA, Springfield, IL. 1998.
- 47. Illinois MISA Institute. Program Development and Cross Training for Dual Disorders. The Illinois MISA Newsletter 2(2): 1-4. 2000.
- 48. Kessler RC, Nelson CB et. al.. The epidemiology of co-occurring addictive and mental disorders. Am. J. Orthopsychiatry. (1996) 66:17-31.
- 49. Kosten, TR. Management of anxiety in substance abusers. American Academy of Addiction Psychiatry Newsletter. Spring, 2000. AAAP, Prairie Village, KS.
- 50. Leshner AI. Addiction is a brain disease, and it matters. Science (1997) 278:45-7
- 51. Lucksted, A, Dixon, L, & Sembly, JB. A focus group pilot study of tobacco smoking among psychosocial rehabilitation patients. Psych Services(2000). 51:1544-8.
- 52. Massaro, J. Substance Abuse and Mental/Emotional Disorders: Counselor Training Manual. The Information Exchange, New City, NY. 1995.
- 53. McKillip, R. The Basics: a curriculum for co-occurring mental health and substance use disorders. 2004. Available from author: 509-258-7314. www.mckillipbasics.com
- 54. Mehr, J. State of Illinois Second Task Force Report on MI/SA Dual Disorders. Illinois Offices of Mental Health and Alcoholism and Substance Abuse, Springfield, IL. May, 1998.
- 55. Mercer-McFadden C, Drake RE, et. al.. Substance Abuse Treatment for People with Severe Mental Disorders: a program manager's guide. NH-Dartmouth Psychiatric Research Center, Concord, NH. 1998.
- 56. Mid-America Addiction Technology Transfer Center. A Collaborative Response: Addressing the needs of consumers with co-occurring substance use and mental health disorders. (including: Psychotherapeutic Medications 2000: what every counselor should know). Kansas City, Missouri, 2000. Web site: www.mattc.org., e-mail: atc@mattc.org, phone: 816-482-1100.

- 57. Miller, WR & Rollnick S. Motivational Interviewing, 2nd Edition. Guilford Press, New York. 2002.
- 58. Minkoff, K. CHOICE-Dual. Choate Outline for Intensity of Care Evaluations for Dual Diagnosis Services. 1997. Unpublished.
- 59. Minkoff, K. MIDAS: Mental illness drug and alcohol screening tool. 2001. Unpublished.
- 60. Minkoff, K, Chair. CMHS Managed Care Initiative Panel on Co-occurring Disorders. Co-occurring psychiatric and substance disorders in managed care systems: annotated bibliography. Center for Mental Health Policy and Services Research, Philadelphia, 1997. Web site: www.med.upenn.edu/cmhpsr
- 61. Minkoff, K. Chair. CMHS Managed Care Initiative Panel on Co-occurring Disorders Co-occurring psychiatric and substance disorders in managed care systems: standards of care, practice guidelines, workforce competencies, and training curricula. Center for Mental Health Policy and Services Research. Philadelphia, 1998. Web site: www.med.upenn.edu/cmhpsr
- 62. Minkoff, K. Developing standards of care for individuals with co-occurring psychiatric and substance disorders. Psych Services. 2001; 52:597-99.
- 63. Minkoff, K. Model for the desired array of services and clinical competencies for a comprehensive, continuous, integrated system of care. Center for Mental Health Services Research, University of Mass. Dept. of Psychiatry. Worcester, MA, 1999.
- 64. Minkoff, K. An integrated model for the management of co-occurring psychiatric and substance disorders in managed care systems. Dis. Mgt & Health Outcomes (2000).8(5):251-7.
- 65. Minkoff, K. State of Arizona Service Planning Guidelines: Co-occurring Psychiatric and Substance Disorders. 2001
- 66. Minkoff K. CCISC Psychopharmacology Practice Guidelines. <u>www.bhrm.org</u>, 2005.
- 67. Minkoff, K. Program components of a comprehensive integrated care system for serious mentally ill patients with substance disorders. In: Minkoff K, Drake RE, eds. Dual Diagnosis of Major Mental Illness and Substance Disorder. New Directions for Mental Health Services, No 50. San Francisco, CA. Jossey-Bass, 191, pp 13-27.
- 68. Minkoff, K & Cline, C. CODECATTM (Version 1): Co-occurring Disorders Educational Competency Assessment Tool/Clinician Core Competencies for Co-occurring Psychiatric and Substance Abuse Disorders, Zialogic 2001; COMPASSTM (Version 1): Co-morbidity Program Audit and Self-Survey for Behavioral Health Services/Adult and Adolescent Program Audit Tool for Dual Diagnosis Capability, Zialogic 2001; CO-FIT100TM 100 (Version 1): CCISC Outcome Fidelity and Implementation Tool, Zialogic 2002.
- 69. Minkoff K & Cline C, Scope of Practice Guidelines for Addiction Counselors Treating the Dually Diagnosed. Counselor. 2003; 4: 24-27.
- 70. Minkoff K & Cline C, Changing the World: the design and implementation of comprehensive continuous integrated systems of care for individuals with co-occurring disorders. Psychiat Clin N Am 2004, 27: 727-743.

- 71. Minkoff K & Cline C, Developing welcoming systems for individuals with cooccurring disorders: the role of the Comprehensive Continuous Integrated System of Care model. J Dual Diagnosis 2004, 1:63-89
- 72. Minkoff, K & Drake, RE. Homelessness and dual diagnosis. In Lamb, HR (ed). Treating the Homeless Mentally Ill. Washington, DC, APPI. 1994. 221-35.
- 73. Minkoff, K & Regner, J. Innovations in integrated dual diagnosis treatment in public managed care: the Choate dual diagnosis case rate program. J.Psychoactive Drugs. (1999). 31(1): 3-11.
- 74. Mueser, KT, Bennett, M, & Kushner, MG. Epidemiology of substance use disorders among persons with chronic mental illnesses. In. Lehman, A & Dixon, LJ. Double Jeopardy. Chronic Mental Illness and Substance Use Disorders. Harwood Academic Publishers, Chur, Switzerland.. 1995.
- 75. Mueser, KT, Drake, RE, & Wallach, MA. Dual diagnosis: a review of etiological theories. Addictive Behaviors (1998) 23:717-34.
- 76. Mueser KT & Fox L. Stagewise Family Treatment for Dual Disorders: Treatment Manual. NH Dartmouth Psychiatric Research Center, Concord, NH. 1998.
- 77. Mueser, KT & Noordsy, DL. Group treatment for dually diagnosed clients. In Drake, RE & Mueser, KT. Dual diagnosis of major mental illness and substance disorder. Part 2. Jossey-Bass, San Francisco. 1996.
- 78. Mueser, KT, Noordsy, DL, Drake, RE, Fox, L. Integrated Treatment for Dual Disorders: A Guide to Effective Practice. New York, NY: Guilford Press, 2003.
- 79. Mueser, KT, Noordsy, DL, Drake, RE, Fox, L. Integrated Treatment for Dual Disorders: Effective Intervention for Severe Mental Illness and Substance Abuse. New Hampshire Dartmouth Psychiatric Research Center. In press.
- 80. Mueser KT, Noordsy DL, & Essock S. Use of disulfiram in the treatment of patients with dual diagnosis. Am. J. Addictions (2001) In press.
- 81. Najavits L, Seeking Safety, A Treatment Manual for PTSD and Substance Abuse. New York, NY: Guilford Press. 2002.
- 82. Najavits L, Weiss R, & Liese J. Group cognitive behavioral therapy for women with PTSD and substance use disorder. J. Subst Abuse Treatment (1996) 13:13-22.
- 83. Najavits L, Weiss R, et. al.. Seeking Safety: Outcome of a new cognitive behavioral psychotherapy for women with post-traumatic stress disorder and substance dependence. (1998)
- 84. NAMI. Position Statement: Integrated treatment and blended funding for co-occurring disorders. NAMI, Arlington, VA.
- 85. NASMHPD/NASADAD. The new conceptual framework for co-occurring mental health and substance use disorders. Washington, DC. NASMHPD 1998.
- 86. NASMHPD/NASADAD. Financing and marketing the new conceptual framework. Washington, NASMHPD. 2000.
- 87. National GAINS Center. The Courage to Change: Communities to create integrated services for people with co-occurring disorders in the justice system. GAINS Center, Delmar, NY. 1999.
- 88. Oregon DHS Statewide Task Force on Dual Diagnosis. Final Report and Recommendations. Oregon DHS DMH, Salem, OR. May, 2000.

- 89. Pennsylvania MISA Consortium. Report and Recommendations. OMHSAS, Harrisburg. August, 1999.
- 90. Peters RH & Bartoi, MG. Screening and Assessment of Co-occurring Disorders in the Justice System. National GAINS Center, Delmar, NY. 1997.
- 91. Peters RH & Hills HA. Intervention strategies for offenders with co-occurring disorders. What works? National GAINS Center, Delmar, NY. 1997.
- 92. Prochaska JO, DiClemente CC, Norcross JC. In search of how people change: applications to addictive behaviors. Am. Psychol. (1992) 47:1102-14.
- 93. Project Return. Mental Health Screening Form III. Project Return, New York. 2000.
- 94. Quinlivan R & McWhirter DP. Designing a comprehensive care program for high cost clients in a managed care environment. Psych Services (1996) 47:813-5.
- 95. RachBeisel, J, Scott, J. & Dixon, L. Co-occurring severe mental illness and substance use disorders: a review of recent research. Psych Services (1999). 50:1427-34.
- 96. Regier, DA, Farmer ME, et. al.. Comorbidity of mental disorders with alcohol and other drug abuse. JAMA (1990) 264:2511-18.
- 97. Ridgely, MS, Lambert, D, et. al.. Interagency collaboration in services for people with co-occurring mental illness and substance use disorder. Psych Services (1999) 49:236-8.
- 98. Ries, RK & Comtois KA. Illness severity and treatment services for dually diagnosed severely mentally ill outpatients. Schiz. Bull. (1997a) 23:239-46.
- 99. Ries, RK & Comtois KA. Managing disability benefits as part of treatment for persons with severe mental illness and comorbid substance disorder. Am. J. Addictions (1997b) 6(4):330-8.
- 100. Ries, RK, Russo, J, et. al.. Shorter hospital stays and more rapid improvement among patients with schizophrenia and substance disorders. Psych Services. 2001. 52(2):210-4.
- 101. Roberts LJ, Shaner A, & Eckman TA. Overcoming addictions: skills training for people with schizophrenia. W.W. Norton, New York. 1999.
- 102. Sacks, S. Co-occurring disorders: promising approaches and research issues. J. Substance Use & Misuse (2001), in press.
- 103. Sacks, S, Sacks, JY, & DeLeon G. Treatment for MICAs: design and implementation of the modified TC. J. Psychoactive Drugs. (1999) 31:19-30.
- 104. SAMHSA. Position statement on use of block grant funds to treat people with co-occurring disorders. 2000.
- 105. Substance Abuse and Mental Health Services Administration. Report to Congress on the Prevention and Treatment of Co-occurring Substance Abuse Disorders and Mental Disorders. November, 2002.
- 106. Sciacca, K. Sciacca Comprehensive Service Development and Curriculum for MIDAA. Materials available on dual diagnosis website: http://pobox.com/~dualdiagnosis. E-mail. Ksciacca@pobox.com.
- 107. Shaner A, Roberts LJ, et. al.. Monetary reinforcement of abstinence from cocaine among mentally ill persons with cocaine dependence. Psych Services (1997) 48:807-10.

- 108. Sowers, W & Golden, S. Psychotropic medication management in persons with co-occurring psychiatric and substance use disorders. J. Psychoactive Drugs. (1999) 31:59-67.
- 109. Texas Department of MH/MR. Co-occurring psychiatric and substance disorders: principles for programming and treatment in state mental health facilities. TDMHMR, Austin. 2000.
- 110. Tollefson GD, Montague-Clouse J, & Tollefson SL. Treatment of comorbid generalized anxiety in a recently detoxified alcoholic population with a selective serotonergic drug (buspirone). J. Clin. Psychopharm. (1992) 12:19-26.
- 111. Tsemberis, S & Eisenberg, RF. Pathways to Housing: Supported housing for street dwelling homeless individuals with psychiatric disabilities. Psychiatric Services (2000). 51(4):487-95.
- 112. Vogel, H. Double Trouble in Recovery (DTR): How to start and run a DTR group. NY Office of Mental Hygiene, Mental Health Empowerment Project, Albany 1999.
- 113. Weiss R, et. al.. Integrated dual recovery curriculum for bipolar disorder and addiction. McLean Hospital, Belmont, MA.
- 114. WELL Project. Principles for the trauma informed treatment of women with co-occurring mental health and substance abuse disorders. WELL Project, Cambridge, MA 1999.
- 115. Wilens, TE, Spencer, TJ, et. al.. A controlled clinical trial of bupropion for adult ADHD. Am J. Psych (2001) 158:282-88.
- 116. Ziedonis D & Trudeau K. Motivation to quit using substances among individuals with schizophrenia: implications for a motivation-based treatment model. Schiz. Bull. (1997) 23:229-38.
- 117. Zimmet SV, Strous RD, et. al.. Effects of clozapine on substance use in patients with schizophrenia and schizoaffective disorders. J. Clin. Psychopharm (2000) 20:94-8.